

ARMY CODE No. 31234

ARMY CODE No. 31234

MARCH 1982

COMPLETE EQUIPMENT SCHEDULE

SERVICE EDITION

31234

AMBULANCE 4 STRETCHER 4 x 4 ROVER
(2310-99-893-4673)

AMBULANCE 4 STRETCHER 4 x 4 LHD ROVER
(2310-99-893-4674)

AMBULANCE 4 STRETCHER 4 x 4 TROPICAL ROVER
(2310-99-893-5716)

AMBULANCE 4 STRETCHER 4 x 4 TROPICAL LHD ROVER
(2310-99-893-5717)

AMBULANCE CRASH RESCUE 4 STRETCHER 4 x 4 LHD ROVER
(2310-99-893-6019)

MOD (ARMY) CENSUS CODE No.

1054.0750
1054.5750
1054.2750
1054.6750
1043.9100

SIMPLE EQUIPMENT

LOGISTIC EXECUTIVE (ARMY) (DGOS)

COMPOSITION

The equipment covered by this Schedule is listed in three parts viz

- | | |
|--------|--|
| PART 1 | Summary of items forming the complete equipment. |
| PART 2 | Detail of main items other than Tools, Spares, Equipment and Literature. |
| PART 3 | Detail of Tools, Spares, Equipment and Literature. |

INSTRUCTION FOR USE BY UNITS

Detail instructions for use are given in Equipment Regulations Pamphlet No 3 (1962) Code No 13602.

3. INITIAL ISSUE BY RE/RAOC

- a. One copy of the CES will be attached to the Unit's copy of the issue Voucher and one further copy will accompany every equipment.
- b. Deficiencies (if any) will be enfacod on the covering issue voucher by reference to the Serial Number of the item listed in the Simple CES
- c. "To follow" vouchers will not be created.

4. "IN LIEU" ITEMS

Authorized "in lieu" items held against this CES will not be replaced until such time as they are no longer serviceable. When replacement becomes necessary the correct item, as listed in the CES, will be demanded.

5. AMENDMENTS

[illegible]

GENERAL NOTES

1. Annotations (See Column E)
 - (E) Expendable stores consumable stores and materials and "Non-Ledger" Spare parts of minor value.
 - (X) ESSENTIAL ITEMS without which the RAOC will not issue the equipment.
 - (*) This star indicates the accountability classification of this item.
2. Contracts applicable: WV12074 FVE21A/156.
3. Mandatory lighting and 'convoy' light are fitted to this vehicle but are not listed in the CES
4. SPECIFIC NOTES Applicability is indicated in Column F.
 - A. Attendants seat (Item 20).
 - B. To be fitted by REME Workshops when available.
(Items 33, 34, 39, 120, 121, 122, 123 and 124).
 - C. For Stretcher and Sitting casualties (Item 21).
 - D. Fitted to Item 36 (Item 37).
 - E. Between Cab seats c/w clips Rifle Qty 2 (Item 45).
 - F. RAF vehicles only: Between cab seats (Item 46).
 - G. Over Heater (Item 47 and 48).
 - H. To be supplied in bulk to CVD when available (Item 143).
 - I. RAF vehicles only (Items 41 to 44, 46, 48 and 49). + 40
 - J. NOT for RAF vehicles (Item 141).

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 1</u>	<u>SUMMARY OF ITEMS FORMING COMPLETE EQUIPMENT</u>			
	<u>Census Code No</u>				
1	1054.0750 2310-99-893-4673	Ambulance 4 Stretcher 4 x 4 Rover	1		
	1054.5750 2310-99-893-4674	Ambulance 4 Stretcher 4 x 4 LHD Rover			
	1054.2750 2310-99-893-5716	Ambulance 4 Stretcher 4 x 4 Tropical Rover			
	1054.6750 2310-99-893-5717	Ambulance 4 Stretcher 4 x 4 Tropical LHD Rover			
	1043.9100 2310-99-893-6019	Ambulance Crash Rescue 4 Stretcher 4 x 4 Rover			
2		Vehicle Fitted Items		For Details See Part 2A (Items 10-49)	
3		Vehicle Loose Items		For Details See Part 2B (Items 60-73)	
4		Vehicle Tools & Servicing Equipment		For Details See Part 3A (Items 80-83)	
5		Specialist Equipment		For Details See Part 3B1 (Items 100-108)	
6		Resuscitation Equipment		For Details See Part 3B2 (Items 120-127)	
7		Vehicle Literature		For Details See Part 3C (Items 140-144)	

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 2A</u> <u>VEHICLE</u> <u>FITTED ITEMS</u>				
	<u>6MT3</u>				
10	2540-99-829-9001	MIRROR ASSY rear view	2		
11	Non Serviced Item	HEATER demister	1		
	<u>7RU</u>				
12	2540-99-838-5968	BELT vehicular safety L/H press button	1	*	
13	2540-99-838-5967	BELT vehicular safety R/H press button	1	*	
14	Non Serviced Item	WINDSCREEN washer assembly	1		
	<u>7RU</u>				
15	2540-99-825-4286	MUD FLAP ASSY w/support plate RH (Front)	1		
16	2540-99-825-4287	MUD FLAP ASSY w/support plate LH (Front)	1		
17	2540-99-825-4288	MUD FLAP ASSY w/support plate RH (Rear)	1		
18	2540-99-825-4291	MUD FLAP ASSY w/support bracket LH (Rear)	1		
	<u>6MT13</u>				
19	2540-99-838-0816	CUSHION seat vehicular PVC coated leather cloth bronze green 420 mm lg 410 mm W 48 mm thk	1		
20	2540-99-828-4265	BELT automobile safety auto lock drivers	1	*	A
21	2540-99-838-0815	STRAP webbing 1130 mm approx lg snap hook 1st end anchor hook 2nd end	8		C
22		HEATER assembly petrol burning	1		
	<u>6MT3</u>				
23	6210-99-825-2134	LIGHT indic lamp c/w bulb 24 V 3 W c/w 2 leads 6 in lg.	1		
24	6220-99-828-6951	FOG LIGHT model FT8 12 V rect shape glass light unit clear	2	*	

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 2A</u> Continued				
25	<u>6MT3</u> 6220-99-838-0817	LIGHT warning vehicular blue lens 128.6 mm dia 217.4 mm o/a H 200 mm approx length of lead	1		
26	2590-99-818-1392	HORN electrical 12 V	2		
27	<u>6MT13</u> 9905-99-838-0818	SIGN 700 mm sq Red Cross on white background	2		
28	<u>6MT13</u> 9905-99-838-0820	SIGN 1365 mm W 1705 mm lg Red Cross on white background	2		
29	9905-99-838-0819	SIGN 540 mm sq Red Cross on white background	2		
30	<u>E3</u> 4030-99-960-4368	SHACKLE small bow 3 ton SWL	2	*	
31		TWO TONE HORN	1		
32		LACHING bracket rear	1		
33	<u>A2</u> 6515-99-977-7415	CONTROL BOX assembly for auto 'Control Box Assembly for Automatic Resuscitation LH includes Control Module, Model 3, Kay Pneumatics Part No PN203/Z1'	1		B
34	6516-99-977-7416	CONTROL BOX assembly for auto resuscitation RH	1		B
35	6515-99-977-7417	REGULATOR oxygen	1		
36	6515-99-977-7418	RESTRICTOR 5 litres/min oxygen	2		
37	6515-99-977-7419	CHECK unit	2		D
38	4730-99-580-9684	COUPLING HALF self-sealing for 1/4 in ID hose	2		
39	<u>W21</u> 9905-99-017-2645	PLATE instr AL rect anod 'Plate Instruction alluminium anodised. Aluminium background, black and red inscription, inscribed with "Emergency Resuscitation Instructions" 260 mm lg x 20 mm W x 1 mm thk'	1		B

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
40	<u>6MT4</u> 5935-99-413-7026	PLUG box type swivel 4 pin	1	*	I
41		CIRCUIT breaker	1		I
42	<u>6MT4</u> 5925-99-829-6461	CIRCUIT breaker earth leakage 4 poles 25 amps 50 HZ	1	*	I
43	<u>Z9</u> 6130-99-117-0562	CHARGER battery AC 16.1/2 in x 13.5/8 in x 12.1/2 in approx dims o/a	1	*	I
44	<u>6MT13</u> 2590-99-838-2195	RACK stowage vehicular allum alloy 383 mm o/a h 120 mm deep 110 mm wide 35 mm wide securing strap 7 mtg holes to accommodate entonox bottle	2		I
45	2590-99-818-2196	PANEL assembly vehicular allum alloy 860 mm lg 410 mm W before bending 3 mm thk c/w packing piece and rifle clips	1		E
46	2590-99-838-2197	PANEL Assembly vehicular	1		FI
47	2590-99-838-2198	FRAME cover allum alloy welded assembly trapezium shape 362 mm W 832 mm major L 594 mm min L	1		G
48	2590-99-838-2199	PANEL Assembly vehicular	1		GI
49		ENGINE coolant heater each comprising:	1		I
	<u>6MT1</u> 2540-99-838-1619	(a) BODY immersion heater 1 aluminium 106 mm lg 75 mm H 65 mm W w/44 mm OD serrated connection each end	Qty		
	<u>X2</u> 4540-99-645-0164	(b) HEATER immersion 1 electric 100 W 240 V ZA 2 element w/cover includes 6 grams of insulating compound			

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 2B</u>	<u>VEHICLE LOOSE ITEMS</u>			
60	AB562	Vehicle Record Book	1		
61	<u>6MT1</u> 4210-99-881-4724	EXTINGUISHER fire expendable hand held 4½ lb wt charged	2		
62		WHEEL Assy Spare each comprising:	1		
	<u>6MT14</u> 2530-99-819-7560	(a) WHEEL pneu tyre 6½ L 1 16 well base type 1½ in inset 6-7/8 in dia Stud holes 205 mm PCD 5.276 in dia bore			
	2610-99-836-0819	(b) TYRE pneu commercial 1 type 9.00-16 8 pt c/p c/c tread		*	
	2610-99-804-5822	(c) INNER TUBE pneu tyre 1 car type 9.00 x 16 syn rubber TR15 valve located off centre			
63	<u>TRU</u> 2540-99-811-8980	CUSHION seat vehicular plastics covered	2	*	
64	5120-99-817-1229	SPANNER BOX hex 1.100 in A/F 1.875 in internal depth	1		
X 65	2990-99-825-4615	CRANK hand	1		
X 66	<u>6MT1</u> 825 5120-99-825-4616	JACK Screw hand (less handle) 2 ton capacity closed h 6.3/8 in extended L 17.38 in	1	*	
✓ 67	5340-99-825-4617	CONTROL ROD 7/16 in sq 40.5/8 in lg	1		
X 68	5120-99-825-4618	HANDLE mechanical jack hardwood 7/8 in dia 1st end 27/32 in dia 2nd end	1		
69	Non Serviced Item	KEY cab door	3		
70	Non Serviced Item	KEY rear door	2		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 2B</u>	Continued			
71	<u>GMT13</u> 5340-99-808-9419	KEY Taper T	2	—	
72	2540-99-838-0821	CUSHION Seat vehicular PVC coated leather cloth bronze green 452 mm W 1533 mm lg 48 mm thk	2		
73	2510-99-838-0822	DOOR hatch vehicular roof escape hatch	1		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 3A VEHICLE TOOLS & SERVICING EQUIPMENT</u>				
80	<u>F1</u> 5120-99-136-5590	SCREWDRIVER flat point engineers w/sq blade 6.500 mm W of point 75.00mm lg of blade 200mm nom o/a lg 29 mm A/F	1		
81	5120-99-910-5964	SPANNER adjustable open end type sgle head o/in jaw opening capcity straight handle 8 in lg o/a	1		
82	5120-99-910-5525	PLIERS side cutting 6 in insulated handle pipe grip w/o joint cutter sgle joint polished head	1		
83	<u>6MT2</u> 4910-99-807-0183	GAUGE tyre pressure self contained calibrated 10-120 lbs/sq in in 2 lb divisions	1		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 2B</u>	Continued			
71	<u>GMT13</u> 5340-99-808-9419	KEY Taper T	2	—	
72	2540-99-838-0821	CUSHION Seat vehicular PVC coated leather cloth bronze green 452 mm W 1533 mm lg 48 mm thk	2		
73	2510-99-838-0822	DOOR hatch vehicular roof escape hatch	1		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 3A VEHICLE TOOLS & SERVICING EQUIPMENT</u>				
80	<u>F1</u> 5120-99-136-5590	SCREWDRIVER flat point engineers w/sq blade 6.500 mm W of point 75.00mm lg of blade 200mm nom o/a lg 29 mm A/F	1		
81	5120-99-910-5964	SPANNER adjustable open end type sgle head o/in jaw opening capacity straight handle 8 in lg o/a	1		
82	5120-99-910-5525	PLIERS side cutting 6 in insulated handle pipe grip w/o joint cutter sgle joint polished head	1		
83	<u>6MT2</u> 4910-99-807-0183	GAUGE tyre pressure self contained calibrated 10-120 lbs/sq in in 2 lb divisions	1		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 3B1</u> <u>SPECIALIST EQUIPMENT</u>				
100	PI <u>MA</u> 6530-99-138-8737	STRETCHER folding rigid pole	4	*	
101	<u>GMT3</u> 6230-99-833-5140	LIGHT extension 1 lamp accommodated (12V 24W) sgle ball joint and hook grip handle	1		
102	7920-99-943-2803	BROOM hand sweeping	1		
103	<u>GMT1</u> 7240-99-809-6628	CAN plastics high density polythene 1 gallon capacity	1		
104	<u>MA</u> 6545-99-211-1573	First Aid Kit	1		
105	<u>RA</u> 6530-99-129-1635	PILLOW stretcher Ambulance Mk 2	4		
106	<u>MA</u> 6505-99-942-3298	OXYGEN BP 44 cu ft in bullnosed valve cylinder	2		
107	5120-99-224-8374	SPANNER gas cylinder	1		
108	<u>CH</u> 8415-99-137-9574	WAISTCOAT HV	2		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 3B2. RESUSCITATION EQUIPMENT</u>				
120	^{A2} 6515-99-977-7420	PATIENT VALVE assembly comprising pneupac Part No 500-A211 patient valve 500-A158/ 8 peep valve 500-A576 output lead 500-247/60 relief valve and audible alarm	4		
121	6515-99-210-4381	HARNESS oral nasal CLAUSEN type	4		B
122	6515-99-210-4625	MASK oral nasal with female conn opening size 4 with attachment for harness with inflatable periphery	4		B
123	6515-99-977-7424	ADAPTOR 15 mm female internal taper	4		B
124	6515-99-977-7423	NUT mask retaining	4		B
125	^{MA} 6515-99-210-3025	AIRWAY pharyngeal Guedel plastic size 1/70 trialed to BS 2927	1		
126	6515-99-210-3026	AIRWAY pharyngeal Guedel plastic size 2/85 small adult trialed to BS 2927	1		
127	6515-99-210-3027	AIRWAY pharyngeal Guedel plastic size 3/100 medium adult trialed to BS 2927	1		

A	B	C	D	E	F
Item	Stock No	Designation	Qty	Annot- ation	Notes
	<u>PART 3C</u>	<u>VEHICLE LITERATURE</u>			
140	31234	Service Edition CES	1		
141	61287	Servicing Schedule	1		J
142	22260	User Handbook (Basic Vehicle)	1		
143	AP5102A(UH)	Handbook Supplement (Ambulance)	1		H
144	AB562	Vehicle Record Book			
	} Accounted } for at } P2B } Item 60				

